

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1983	(cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:50
L2	13	(transfer\$4 near5 file\$1 near5 buffer\$3) and (lock\$3 near5 buffer\$3) and "dma"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:50
L3	1	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and (maxim\$4 near5 resource\$2 near5 limit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:51
L4	1	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and (maxim\$4 near5 resource\$2 near5 limit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:51
L5	156	(simultan\$5 contemporan\$4) near5 ( process\$4 cop\$4 ) and (director\$4 near5 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:51
L6	5560	(director\$4 near5 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:51
L7	1	L6 and ((cop\$4 near5 fil\$4 near5 director\$4) near5 (paral\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:51
L8	156	6 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:52
L9	54	1 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:52
L10	54	9 and fil\$3 near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4 transfer\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:52

## EAST Search History

L11	0	10 and ((concurrent\$4 simulatan\$6 ) near5 cop\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:54
L12	0	11 and director\$3 near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:54
L13	54	10 and director\$3 near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:54
L14	0	13 and (concurrent\$4 simultan\$6 contemporan\$4 multi-process\$4) near5 (cop\$3 backup\$3 synchroniz\$4 replica\$4 archiv\$4) near5 director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 13:55
S1	1499	cop\$3 near3 (director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:46
S2	9826	cop\$3 near3 (file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 17:11
S3	753	(cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:50
S4	161	increas\$4 near5 resource\$2 near5 limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 14:42
S5	161	maxim\$4 near5 resource\$2 near5 limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:53
S6	1	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and ((increas\$4 near5 resource\$2 near5 limit\$3) and (maxim\$4 near5 resource\$2 near5 limit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 14:43

## EAST Search History

S7	650	transfer\$4 near5 file\$1 near5 buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 14:45
S8	2602	lock\$3 near5 buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 14:45
S9	28835	"dma"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 14:46
S10	5	(transfer\$4 near5 file\$1 near5 buffer\$3) and (lock\$3 near5 buffer\$3) and "dma"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:50
S11	1	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and (((destinat\$3 target\$4) near5 full) same (e-mail email))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 14:53
S12	3	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and (((destinat\$3 target\$4) near5 full) and (e-mail email))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 14:52
S13	14	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and (((destinat\$3 target\$4) near5 full)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 14:53
S14	7	(increas\$4 near5 resource\$2 near5 limit\$3) and (maxim\$4 near5 resource\$2 near5 limit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 14:59
S15	1	((increas\$4 near5 resource\$2 near5 limit\$3) and (maxim\$4 near5 resource\$2 near5 limit\$3)) and (cop\$3 near5 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:01
S16	1	((increas\$4 near5 resource\$2 near5 limit\$3) and (maxim\$4 near5 resource\$2 near5 limit\$3)) and (cop\$3 same file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:00

## EAST Search History

S17	5	(maxim\$4 near5 resource\$2 near5 limit\$3) and (cop\$3 near5 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:02
S18	1	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and (maxim\$4 near5 resource\$2 near5 limit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:50
S19	4	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and ((transfer\$3 near5 buffer\$1) same DMA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:10
S20	1	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and ((lock\$4 near5 buffer\$1) same DMA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:11
S21	16	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and (lock\$4 near5 buffer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:11
S22	879	director\$3 near5 file near5 cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:20
S23	1	(maxim\$4 near5 resource\$2 near5 limit\$3) and (director\$3 near5 file near5 cop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:22
S24	32	item\$4 near4 director\$3 near5 cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:23
S25	116	item\$4 near4 file\$3 near5 cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:24
S26	10	(item\$4 near4 director\$3 near5 cop\$3) and (item\$4 near4 file\$3 near5 cop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:25

## EAST Search History

S27	2094	file\$1 near3 archiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:25
S28	4259	file\$1 near3 (archiv\$3 or backup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:25
S29	87	(file\$1 near3 (archiv\$3 or backup)) and ((file and director\$4) near5 cop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:26
S30	9	((file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and director\$4) near5 cop\$3)) and (buffer\$1 near5 lock\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:30
S31	87	(file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and director\$4) near5 cop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:29
S32	1	((file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and director\$4) near5 cop\$3)) and (stack\$1 same heap\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:31
S33	1	((file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and director\$4) near5 cop\$3)) and (increas\$4 near5 resource\$2 near5 limit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:32
S34	2	((file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and director\$4) near5 cop\$3)) and stack and heap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:35
S35	27	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and (cop\$4 near5 in near5 director\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:36
S36	246	maxim\$4 near5 disk\$2 near5 limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:06

## EAST Search History

S37	5	(maxim\$4 near5 disk\$2 near5 limit\$3) and (cop\$3 near4 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 15:54
S38	1	"5717951".pn. and (file\$4 near5 cop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:10
S39	6360	file\$1 near5 buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:11
S40	4506	file\$1 near3 buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:11
S41	130	(file\$1 near3 buffer\$3) and (lock\$3 near5 buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:12
S42	28	((file\$1 near3 buffer\$3) and (lock\$3 near5 buffer\$3)) and DMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:16
S43	0	"6065037".pn. and (file\$2 near5 cop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:17
S44	0	"6065037".pn. and (file\$2 same cop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:17
S45	1	"6065037".pn. and (file\$2 and cop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:46
S46	6	(cop\$3 near3 (file\$1)) and ((email or e-mail) near5 (target\$1 or destinat\$4 or disk\$1) neAR5 (full or space\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:50

## EAST Search History

S47	1249	((cop\$3 near3 (file\$1)) and ((target\$1 or destinat\$4 or disk\$1) neAR5 (full or space\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:51
S48	234	((cop\$3 near3 (file\$1)) and ((target\$1 or destinat\$4 or disk\$1) neAR5 (full or space\$3)) ) and (e-mail or email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:52
S49	3	((cop\$3 near3 (file\$1)) and ((target\$1 or destinat\$4 or disk\$1) neAR5 (full or space\$3)) ) and ((e-mail or email) near5 full)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:52
S50	8	destinat\$4 near5 space\$1 near5 full	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/13 16:54
S51	1213	resourc\$3 near5 full	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/14 08:53
S52	2	((resourc\$3 near5 full) same (destinat\$4 or target\$3)) same (email e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/14 08:55
S53	51	(resourc\$3 near5 full) same (destinat\$4 or target\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/14 09:14
S54	133	(destinat\$4 or target\$3) near5 (disk\$1 memor\$3 space\$1) near5 full	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/14 09:16
S55	12	((destinat\$4 or target\$3) near5 (disk\$1 memor\$3 space\$1) near5 full) and ((cop\$3 transfer\$3 transmit\$4) near5 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/14 09:18
S56	14	((destinat\$4 or target\$3) near5 (disk\$1 memor\$3 space\$1) near5 full) and ((cop\$3 transfer\$3 ftp transmit\$4 send\$3) near5 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/14 09:23

## EAST Search History

S57	56744	process\$4 near3 cop\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 14:13
S58	705	compar\$4 near4 process\$4 near5 limit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 14:15
S59	30	(process\$4 near3 cop\$4) and (compar\$4 near4 process\$4 near5 limit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 14:16
S60	2	((process\$4 near3 cop\$4) and (compar\$4 near4 process\$4 near5 limit\$1)) and (wait\$4 same limit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 14:16
S61	1	"5764972".pn. and (transfer\$3 near5 buffer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/29 09:25
S62	1	"5764972".pn. and (file\$1 near5 transfer\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/29 09:25
S63	329	increas\$3 near3 memor\$4 near3 limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/23 14:48
S64	362	director\$4 near5 cop\$4 near10 process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/26 14:49
S65	8154	fil\$4 near5 cop\$4 near10 process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/26 14:48
S66	83	(director\$4 near5 cop\$4 near10 process\$4) same (fil\$4 near5 cop\$4 near10 process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/26 14:48



## EAST Search History

S67	264	director\$4 near5 cop\$4 near5 process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/26 14:52
S68	127094	multipl\$4 near5 process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/26 14:52
S69	15	(director\$4 near5 cop\$4 near5 process\$4) same ( multipl\$4 near5 process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/26 14:55
S70	840	707/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/26 14:55
S71	75	707/204.ccls. and (director\$4 near5 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/26 14:55
S72	75	(707/204.ccls. and (director\$4 near5 cop\$4)) and (new process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/26 14:56
S73	30	(707/204.ccls. and (director\$4 near5 cop\$4)) and (new near5 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/26 14:56
S74	20847	file\$3 near5 (cop\$4 archiv\$4 backup\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:32
S75	7	(file\$3 near5 (cop\$4 archiv\$4 backup\$4)) and (director\$4 near5 spawn\$4 near5 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:18
S76	18181	(file\$3 near5 (cop\$4 archiv\$4 backup\$4)) and (director\$4 near5 cop\$4 (spawn\$4 process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:18

## EAST Search History

S77	111	(file\$3 near5 (cop\$4 archiv\$4 backup\$4)) and (director\$4 near5 cop\$4 near5 (spawn\$4 process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:19
S78	3317	director\$3 near5 (cop\$4 archiv\$4 backup\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:33
S79	1498	(file\$3 near5 (cop\$4 archiv\$4 backup\$4)) same (director\$3 near5 (cop\$4 archiv\$4 backup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:33
S80	1	director\$3 near5 (cop\$4 archiv\$4 backup\$4) near5 spawn near5 process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:33
S81	1	director\$3 near5 (cop\$4 archiv\$4 backup\$4) near5 spawn\$4 near5 process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:34
S82	317	director\$3 near5 (cop\$4 archiv\$4 backup\$4) near5 process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:34
S83	102	(file\$3 near5 (cop\$4 archiv\$4 backup\$4)) same (director\$3 near5 (cop\$4 archiv\$4 backup\$4) near5 process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:34
S84	2	"6473767".pn. and (FILE\$3 SAME DIRECTOR\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 14:12
S85	1	"6473767".pn. and (FILE\$3 SAME cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 14:12
S86	2104	cop\$3 near3 (director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:49

## EAST Search History

S87	1199	S86 and (cop\$4 near5 fil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 13:55
S88	0	S87 and (spwan\$4 near5 process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 13:52
S89	4	S87 and (spawn\$4 near5 process\$4 near5 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 13:53
S90	942	S86 same (cop\$4 near5 fil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 13:56
S91	897	S86 same (cop\$4 near5 fil\$3 near5 director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 13:56
S92	15	S86 same (cop\$4 near5 fil\$3 near5 under near5 director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:11
S93	2459	(cop\$3 backup) near3 (director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:08
S94	32	S93 same (fil\$3 near5 copy\$3 near5 list\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:09
S95	15	S93 same (cop\$4 near5 fil\$3 near5 under near5 director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:11
S96	306	ARCHIV\$3 near3 (director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:14

## EAST Search History

S97	121	S96 AND (FILE\$3 NEAR5 COP\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:32
S98	0	S96 AND (FILE\$3 NEAR5 COP\$4 NEAR5 direct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:14
S99	56	S96 AND (FILE\$3 NEAR5 COP\$4 NEAR5 direct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:14
S10 0	2460	(cop\$3 backup\$4)near3 (director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:49
S10 1	2460	(cop\$3 backup\$4) near3 (director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:54
S10 2	12	S101 same (file\$4 near5 under near5 direct\$4 near (backup\$4 cop\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:54
S10 3	139	29and (file\$4 near5 under near5 direct\$4 near (backup\$4 cop\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:54
S10 4	15	S101 and (file\$4 near5 under near5 direct\$4 near (backup\$4 cop\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:56
S10 5	62	S101 and (file\$4 near5 in near5 direct\$4 near (backup\$4 cop\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:05
S10 6	2	"5778389".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:05

## EAST Search History

S107	2	S106 and (copy near5 file\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:08
S108	1	S106 and (synchroniz\$4 near5 file\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:08
S109	502	(file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and director\$4) near5 cop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:17
S110	52	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and (cop\$4 near5 in near5 director\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:17
S111	2574	(cop\$3 backup\$4) near3 (director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:17
S112	66	S111 and (file\$4 near5 in near5 directo\$4 near (backup\$4 cop\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:17
S113	2	"5778389".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:17
S114	2	S113 and (copy near5 file\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:17
S115	1	S113 and (synchroniz\$4 near5 file\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:17
S116	17773	file\$3 near4 cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 18:23

## EAST Search History

S11 7	5	(simultan\$5 contemporan\$4) near5 (director\$4 near5 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:02
S11 8	118	(simultan\$5 contemporan\$4) near5 ( process\$4 cop\$4 ) and (director\$4 near5 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:51
S11 9	0	((simultan\$5 contemporan\$4) near5 ( process\$4 cop\$4 ) near5 fil\$4) and (director\$4 near5 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:04
S12 0	0	((simultan\$5 contemporan\$4) near5 ( process\$4 cop\$4 ) near5 spawn\$4) and (director\$4 near5 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:04
S12 1	5	(simultan\$5 contemporan\$4) near5 (director\$4 near5 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:05
S12 2	3440	(director\$4 near5 cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:05
S12 3	55	S122 and ((cop\$4 near5 fil\$4 near5 director\$4) near5 ("same" simultan\$5 contemporan\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 13:46
S12 4	0	S123 and spawn\$4 near5 process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:09
S12 5	0	S123 and spawn\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:09
S12 6	1	S122 and ((cop\$4 near5 fil\$4 near5 director\$4) near5 (concurrent\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:20

## EAST Search History

S12 7	15	(US-20020087588-\$ or US-20020152194-\$).did. or (US-5764972-\$ or US-5778389-\$ or US-5931925-\$ or US-5978791-\$ or US-6065037-\$ or US-6128627-\$ or US-6185601-\$ or US-6298386-\$ or US-6408298-\$ or US-6473767-\$ or US-6546404-\$ or US-6553486-\$ or US-5857204-\$).did.	US-PGPUB; USPAT	OR	ON	2005/05/27 11:21
S12 8	7	S127 and (concurrent\$4 simultan\$6 contemporan\$5) near5 (process\$3 cop\$3 creat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:23
S12 9	1	S122 and ((cop\$4 near5 fil\$4 near5 director\$4) near5 (paral\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:51
S13 0	0	S127 and ((cop\$4 near5 fil\$4 near5 director\$4) near5 (paral\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 13:47
S13 1	70	cop\$3 near3 (director\$4) near5 (concurrent contemporan\$6 current\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:26
S13 2	74	cop\$3 near3 (director\$4) near5 (concurrent\$3 contemporan\$6 current\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:12
S13 3	1	S132 and (spawn\$4 near5 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:31
S13 4	38	S132 and ((creat\$4 generat\$4) near5 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:15
S13 5	6	cop\$3 near3 (director\$4) near5 (concurrent contemporan\$6 simultan\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:29

## EAST Search History

S13 6	2310	cop\$3 near3 (director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:31
S13 7	1112	S136 and ((spawn\$4 creat\$4 generat\$4) near5 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:31
S13 8	2310	cop\$3 near3 (director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:35
S13 9	1112	S138 and ((spawn\$4 creat\$4 generat\$4) near5 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:35
S14 0	77	S138 and ((spawn\$4 creat\$4 generat\$4) near5 process\$3 near5 cop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:23
S14 1	0	"623666.pn" and (DIRECTOR\$4 SAME COP\$3 SAM EPROCESS\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:24
S14 2	0	"623666.pn" and (DIRECTOR\$4 SAME COP\$3 SAME EPROCESS\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:24
S14 3	0	"623666.pn" and (DIRECTOR\$4 SAME COP\$3 SAME PROCESS\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:24
S14 4	0	"623666.pn" and (DIRECTOR\$4 SAME COP\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:24
S14 5	0	"623666.pn." and (DIRECTOR\$4 SAME COP\$3 SAME proccess\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:26



## EAST Search History

S14 6	0	"623666.pn." and (DIRECTOR\$4 SAME COP\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:25
S14 7	0	"6623666.pn." and (DIRECTOR\$4 SAME COP\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:33
S14 8	0	"6623666.pn." and (DIRECTOR\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:25
S14 9	0	"6623666.pn." and cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:25
S15 0	2	"6623666".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:26
S15 1	0	S150 and (DIRECTOR\$4 SAME COP\$3 SAME proccess\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:32
S15 2	3958	file\$4 near3 archiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:39
S15 3	332	S152 and (DIRECTOR\$4 near5 (COP\$3 synchroniz\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:40
S15 4	18	S152 and (file\$4 near5 (COP\$3 synchroniz\$3) near5 (concurrent\$4 contemporan\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:38
S15 5	6	S152 and (process\$3 near5 (COP\$3 synchroniz\$3 creat\$4) near5 (concurrent\$4 contemporan\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:40

## EAST Search History

S15 6	7565	file\$4 near3 (archiv\$4 backup\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:40
S15 7	638	S156 and (DIRECTOR\$4 near5 (COP\$3 synchroniz\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:40
S15 8	941	S156 and (DIRECTOR\$4 near5 (COP\$3 synchroniz\$3 backup\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:40
S15 9	78	S158 and (process\$3 near5 (concurrent\$4 contemporan\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:48
S16 0	2	"6779003".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 10:40
S16 1	1	S160 and (directo\$4 same (backup cop\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:49
S16 2	1	S160 and (directo\$4 near9 (backup cop\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:56
S16 3	0	S160 and (directo\$4 near9 (prcess\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:56
S16 4	1	S160 and (directo\$4 near9 (process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:56
S16 5	1	S160 and (directo\$4 near9 (process\$3) near9 (creat\$4 spwan\$4 generat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 09:56

## EAST Search History

S16 6	2	"6779003".pn. and (file\$4 near9 (backup synchroniz\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 10:45
S16 7	1	"6779003".pn. and ((creat\$4 generat\$4) near9 (process\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 10:45
S16 8	1	"6779003".pn. and ((creat\$4 generat\$4) near9 (process\$3) same director\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 11:26
S16 9	0	"6779003".pn. and ((creat\$4 generat\$4) near9 (process\$3) same director\$4 same ( contemporan\$6 concurrent\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 10:46
S17 0	22662	(cop\$3 backup synchroniz\$4) near5 ((check\$4 compar\$3 ) near5 spac\$4 (limit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 11:28
S17 1	346	(cop\$3 backup synchroniz\$4) near5 ((check\$4 compar\$3 ) near5 (spac\$4 limit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:38
S17 2	15	process\$3 near5 (cop\$3 backup synchroniz\$4) near5 ((check\$4 compar\$3 ) near5 (spac\$4 limit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:51
S17 3	4551	(check\$4 compar\$3 ) near5 (spac\$4 limit\$4) near5 (stor\$3 sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:52
S17 4	190333	process\$4 near5 compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:52
S17 5	692	S173 and S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:52

## EAST Search History

S17 6	8	S175 and wait\$4 near5 (cop\$4 backup synchroniz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 13:53
S17 7	7013	((backup\$3 (back\$3 up)) copy\$3 archiv\$4 synchroniz\$3 replica\$4) near3 (director\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:12
S17 8	813	S177 and (spawn\$3 creat\$3 process\$3) near5 (cop\$4 replica\$4 synchroniz\$3 archiv\$3) near5 fil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:41
S17 9	51	S177 and (spawn\$3 creat\$3) near5 process\$3 near5 (cop\$4 replica\$4 synchroniz\$3 archiv\$3) near5 fil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:34
S18 0	0	S177 and (spawn\$3 creat\$3) near5 (cop\$4 replica\$4 synchroniz\$3 archiv\$3) near5 fil\$3 near5 (simulatan\$6 contempran\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:36
S18 1	0	S177 and (spawn\$3 creat\$3) near5 (cop\$4 replica\$4 synchroniz\$3 archiv\$3) near5 fil\$3 near9 (simulatan\$6 contempran\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:36
S18 2	0	S177 and (spawn\$3 creat\$3) near5 (cop\$4 replica\$4 synchroniz\$3 archiv\$3) near5 fil\$3 near9 (simultan\$6 contemporan\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:37
S18 3	0	S177 and (spawn\$3 creat\$3) near5 (cop\$4 replica\$4 synchroniz\$3 archiv\$3) near5 fil\$3 near9 (multi\$4 near5 process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:39
S18 4	0	S177 and (spawn\$3 creat\$3) near5 (cop\$4 replica\$4 synchroniz\$3 archiv\$3) near5 fil\$3 near9 (multi-process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:39

## EAST Search History

S18 5	257	S177 same (spawn\$3 creat\$3 process\$3) near5 (cop\$4 replica\$4 synchroniz\$3 archiv\$3) near5 fil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:42
S18 6	0	S184 and (concurrent\$4 simultan\$6 contemporan\$4 multi-process\$4) near5 (cop\$3 backup\$3 synchroniz\$4 replica\$4 archiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:44
S18 7	6	S185 and (concurrent\$4 simultan\$6 contemporan\$4 multi-process\$4) near5 (cop\$3 backup\$3 synchroniz\$4 replica\$4 archiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:45
S18 8	93	S178 and (concurrent\$4 simultan\$6 contemporan\$4 multi-process\$4) near5 (cop\$3 backup\$3 synchroniz\$4 replica\$4 archiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:57
S18 9	339	S177 and (concurrent\$4 simultan\$6 contemporan\$4 multi-process\$4) near5 (cop\$3 backup\$3 synchroniz\$4 replica\$4 archiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 15:57
S19 0	66	S177 and (concurrent\$4 simultan\$6 contemporan\$4 multi-process\$4) near5 (cop\$3 backup\$3 synchroniz\$4 replica\$4 archiv\$4) near5 file\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 16:38
S19 1	2	"5832510".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 16:12
S19 2	481	(concurrent\$4 simultan\$6 contemporan\$4 multi-process\$4) near5 (cop\$3 backup\$3 synchroniz\$4 replica\$4 archiv\$4) near5 file\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 16:39
S19 3	31	(concurrent\$4 simultan\$6 contemporan\$4 multi-process\$4) near5 (cop\$3 backup\$3 synchroniz\$4 replica\$4 archiv\$4) near5 director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 13:55

## EAST Search History

S19 4	5	S192 and S193	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 16:40
S19 5	2	file\$2 near5 cop\$4 and "5832510".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:45
S19 6	201287	(transfer\$3 stor\$3 sav\$3) near5 buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:46
S19 7	1813	S196 and lock\$3 near5 buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:47
S19 8	60	S197 and (access\$3 cop\$3) near5 dma near5 buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:48
S19 9	44	S198 and @ad<"20010413"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 10:39
S20 0	4087	director\$4 near5 cop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 10:38
S20 1	63	S200 and ((concurrent\$4 simulatan\$6 ) near5 cop\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:54
S20 2	36	S201 and @ad<"20010413"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:02
S20 3	8520	director\$3 near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:54

## EAST Search History

S20 4	444481	fil\$3 near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4 transfer\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 13:52
S20 5	4605	S203 and S204	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 13:59
S20 6	51	S205 and (recursiv\$5) near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4 transfer\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:01
S20 7	396	S205 and (recursiv\$5 repeat\$5) near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4 transfer\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:02
S20 8	174	S207 and @ad<"20010413"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:48
S20 9	36	S208 and (concurrent\$5 simultan\$6) near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4 transfer\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:47
S21 0	1	S208 and (multi-process\$5 multiprocess\$5) near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4 transfer\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:48
S21 1	427	S205 and (concurrent\$5 simultan\$6) near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4 transfer\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:54
S21 2	244	S211 and @ad<"20010413"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:48

## EAST Search History

S21 3	3	S212 and (multi-process\$5 multiprocess\$5) near5 (cop\$3 back\$4 synchroni\$5 replica\$5 archiv\$4 transfer\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:50
S21 4	54	S212 and (multi-process\$5 multiprocess\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:50
S21 5	534	S205 and (concurrent\$5 simultan\$6) near5 process\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:55
S21 6	115	S212 and (concurrent\$5 simultan\$6) near5 process\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 14:56





Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((copy &lt;and&gt; file &lt;and&gt; directory )&lt;in&gt;metadata)"

Your search matched 4 of 1733971 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail print



Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Search Options

[View Session History](#)
[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

IEEE/IET

Books

Educational Courses

Application Notes

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

[Select All](#) [Deselect All](#)

- ☐ 1. **Replication in Ficus distributed file systems**  
 Popek, G.J.; Guy, R.G.; Page, T.W., Jr.; Heidemann, J.S.;  
[Management of Replicated Data, 1990. Proceedings., Workshop on the 8-9 Nov. 1990](#) Page(s):5 - 10  
 Digital Object Identifier 10.1109/MRD.1990.138235  
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. **A transparent service for synchronized replication across loosely-connected file systems**  
 Rao, H.; Skarra, A.;  
[Services in Distributed and Networked Environments, 1995., Second International Workshop 5-6 June 1995](#) Page(s):110 - 117  
 Digital Object Identifier 10.1109/SDNE.1995.470456  
[AbstractPlus](#) | Full Text: [PDF](#)(572 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **Efficient access to many small files in a filesystem for grid computing**  
 Thain, Douglas; Moretti, Christopher;  
[Grid Computing, 2007 8th IEEE/ACM International Conference on 19-21 Sept. 2007](#) Page(s):243 - 250  
 Digital Object Identifier 10.1109/GRID.2007.4354139  
[AbstractPlus](#) | Full Text: [PDF](#)(202 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 4. **Specifying a visual file system in Z**  
 Hughes, J.;  
[Formal Methods in HCI: III, IEE Colloquium on 11 Dec 1989](#) Page(s):3/1 - 3/3  
[AbstractPlus](#) | Full Text: [PDF](#)(164 KB) IET CNF


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Site](#)

Welcome United States Patent and Trademark Office

## Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((copy &lt;and&gt; file &lt;and&gt; directory &lt;and&gt; process)&lt;in&gt;metadata)"

Your search matched 1 of 1733971 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#)
[print](#)


## » Search Options

[View Session History](#)[New Search](#)

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

## Modify Search


☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract
[IEEE/IET](#)[Books](#)[Educational Courses](#)[Application Notes](#)

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

[Select All](#) [Deselect All](#)

- ☐ 1. **A transparent service for synchronized replication across loosely-connected file systems**  
 Rao, H.; Skarra, A.;  
Services in Distributed and Networked Environments, 1995., Second International Workshop  
 5-6 June 1995 Page(s):110 - 117  
 Digital Object Identifier 10.1109/SDNE.1995.470456  
[AbstractPlus](#) | [Full Text: PDF\(572 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

 Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2007 IEEE - All Rights Reserved

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Site](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((copy &lt;and&gt; file &lt;and&gt; directory &lt;and&gt; condition)&lt;in&gt;metadata)"

Your search matched 0 of 1733971 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) 

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

[IEEE/IET](#)[Books](#)[Educational Courses](#)[Application Notes](#)[IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.](#)[view selected items](#)[Select All](#) [Deselect All](#)

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2007 IEEE – All Rights Reserved

Indexed by

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Site](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((copy &lt;and&gt; file &lt;and&gt; directory &lt;and&gt; child)&lt;in&gt;metadata)"

Your search matched 0 of 1733971 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [print](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

[IEEE/IET](#)[Books](#)[Educational Courses](#)[Application Notes](#)

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

[view selected items](#)[Select All](#) [Deselect All](#)**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

[Help](#) [Contact Us](#) [Privacy & Security](#)


© Copyright 2007 IEEE – All Rights Reserved

Indexed by  
 Inspec®


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

(Abstract:copy and Abstract:file and Abstract:directory and Ab


 (Abstract:copy and Abstract:file and Abstract:directory and  
Abstract:process)

Found 3 of 238,273

 Terms used: [copy](#) [file](#) [directory](#) [process](#)

 Sort results by 

 Refine these results with [Advanced Search](#)

 Display results 
☐ Open results in a new window

 Try this search in [The ACM Guide](#)

Results 1 - 3 of 3

### 1 [Software process support through software configuration management](#)

Peter P. FEILER

October 1990 Proceedings of the 5th international software process workshop on Experience with software process models

Publisher: IEEE Computer Society Press

 Full text available: [pdf\(258.73 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Software development embodies a range of software processes. Such processes can be captured in software process models. Two of the reasons for describing software processes through models are to document and communicate a particular process to others, ...

### 2 [A distributed file system](#)



C. V. Ravi

 January 1975 **ACM 75**: Proceedings of the 1975 annual conference

Publisher: ACM

 Full text available: [pdf\(450.91 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The design of a file system for a multiprocessor interactive computer system is described. The architecture of the computer system is such that direct access to a resource allocated to a process is not allowed to any other process. Thus, sharing of files ...

### 3 [GRAPPLE example: processes as plans](#)

Karen E. Huff

October 1990 Proceedings of the 5th international software process workshop on Experience with software process models

Publisher: IEEE Computer Society Press

 Full text available: [pdf\(255.12 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

As an example of a small part of the software process, consider the activities preliminary to building a new version of a software system; one task involves setting up an appropriate environment in which to apply the compilation and linking tools. This ...

Ads by Google

**[eCommerce for Dynamics GP](#)**  
Integrated B2B, B2C, Sales Portal  
Expand your business, full service  
[www.azox.com](#)

**[E-Signing for E-Commerce](#)**

Speed time to market using electronic signatures from DocuSign  
[www.docusign.com/](#)

**[We Want to Read Your Book](#)**

Get Feedback and then Explore Your Publishing Options. No Cost.  
[www.DorrancePublishing.com](#)

**[Publish your book](#)**

Publishers looking to publish. See our directory of publishers  
[www.publishers2008.info](#)



USPTO

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

## Advanced Search

NO RESULTS WERE FOUND

No results were found.

Please revise or [start a new search instead](#)

Enter words, phrases or names below to revise your search.

Surround phrases or full names with double quotation marks.

**SEARCH**

Edit the query directly, or use the form below

(Abstract:copy and Abstract:file and Abstract:directory and Abstract:process and Abstract:condition)

**Words or Phrases**

Find  with

all of  
this  
text  
(and)

any  
of  
this  
text  
(or)

none  
of  
this  
text  
(not)

**Names**

Find

with names

using ☒ all ☐ any ☐ none of the names

**Keywords**

Find author's  
keywords

using ☒ all ☐ any ☐ none of the keywords

**Affiliations**

Find  
company or  
school

using ☒ all ☐ any  
☐ none of the affiliations

**Publication**

Find  
publication

using ☒ all ☐ any ☐ none of the names

Find publisher

using ☒ any ☐ none of the names

Published since  Published before

In publication types ☐ Journal ☐ Proceeding ☐ Transaction ☐ Magazine ☐ Newsletter

**Conference**



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

## Advanced Search

**No results were found.**Please revise or [start a new search instead](#)**Enter words, phrases or names below to revise your search.**

Surround phrases or full names with double quotation marks.

**SEARCH****Edit the query directly, or use the form below**

(Abstract:copy and Abstract:file and Abstract:directory and Abstract:process and Abstract:alternative)

**Words or Phrases**Find  withall of  
this  
text  
(and)any  
of  
this  
text  
(or)none  
of  
this  
text  
(not)**Names**

Find

with names

using ☒ all ☐ any ☐ none of the  
names**Keywords**Find author's  
keywordsusing ☒ all ☐ any ☐ none of the  
keywords**Affiliations**Find  
company or  
schoolusing ☒ all ☐ any  
☐ none of the affiliations**Publication**Find  
publicationusing ☒ all ☐ any ☐ none of the  
names

Find publisher

using ☒ any ☐ none of the namesPublished since  Published before In publication types ☐ Journal ☐ Proceeding ☐ Transaction ☐ Magazine ☐ Newsletter**Conference**



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

## Advanced Search

PATENT &amp; TRADEMARK OFFICE

No results were found.

Please revise or [start a new search instead](#)

Enter words, phrases or names below to revise your search.

Surround phrases or full names with double quotation marks.

SEARCH

Edit the query directly, or use the form below

(Abstract:copy and Abstract:file and Abstract:directory and Abstract:process and Abstract:child)

## Words or Phrases

Find  withall of  
this  
text  
(and)any  
of  
this  
text  
(or)none  
of  
this  
text  
(not)

## Names

Find

with names

using ☒ all ☐ any ☐ none of the names

## Keywords

Find author's  
keywordsusing ☒ all ☐ any ☐ none of the keywords

## Affiliations

Find  
company or  
schoolusing ☒ all ☐ any  
☐ none of the affiliations

## Publication

Find  
publicationusing ☒ all ☐ any ☐ none of the names

Find publisher

using ☒ any ☐ none of the namesPublished since  Published before In publication types ☐ Journal ☐ Proceeding ☐ Transaction ☐ Magazine ☐ Newsletter

## Conference



[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)[Sign in](#)

Google

[Advanced Search](#)  
[Preferences](#)

---

**Web Results 1 - 10** of about **173,000 English** pages for **copy file directory alternative condition create process**. (0.25 sec)**Linux.com :: Process your email with procmail**

To begin using procmail on the desktop, you need to **create** a .forward and a .procmailrc **file** in your home **directory**. The .forward **file** makes all incoming ...  
[www.linux.com/feature/53391](http://www.linux.com/feature/53391) - 55k - [Cached](#) - [Similar pages](#)

**Sys Admin Magazine Online**

This will **create** the configuration **directory** for Postfix. ... Or, a local user could **copy** or hard link some system **file** to the **directory** to try to have it ...  
[www.postfix.org/samag.200001/9912a.htm](http://www.postfix.org/samag.200001/9912a.htm) - 20k - [Cached](#) - [Similar pages](#)

**Method, system, and program for processing a file request - US ...**

3 illustrates operations performed by the **file** filter 10 to **process** the .... the mirror **copy** **files** may have a same name as the **files** in the **directory** or ...  
[www.patentstorm.us/patents/7188127-description.html](http://www.patentstorm.us/patents/7188127-description.html) - 42k - [Cached](#) - [Similar pages](#)

**Create a Real-World Business Process Model, Part 4 @ WEBLOGIC JOURNAL**

</**process**>:: Summary We have seen how to write the change order **file** through a **file** control to a **directory**. This XML **file** can be used to **create** a change ...  
[weblogic.sys-con.com/read/48217.htm](http://weblogic.sys-con.com/read/48217.htm) - 68k - [Cached](#) - [Similar pages](#)

**fork**

The fork() function shall **create** a new **process**. The new **process** (child ... The child **process** shall have its own **copy** of the parent's **file** descriptors. ...  
[www.opengroup.org/onlinepubs/000095399/functions/fork.html](http://www.opengroup.org/onlinepubs/000095399/functions/fork.html) - 23k - [Cached](#) - [Similar pages](#)

**Lost Planet Extreme Condition READ NFO-HATRED : Games > Windows ...**

to the "Steam\SteamApps\common\Lost Planet Extreme **Condition**" **directory**. \* Now finally **copy** the only **file** that was actually modified, that ...  
[www.mininova.org/tor/776235](http://www.mininova.org/tor/776235) - 20k - [Cached](#) - [Similar pages](#)

**[PDF] UNIX Reference Card**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
cp [options] **files** **directory**. **Copy** file1 to file2, or **copy** one or more **files** to the ... **Create** links for **files**, allowing them to be accessed by different ...  
[comp.chem.umn.edu/Chem8021/unix\\_ref\\_card.pdf](http://comp.chem.umn.edu/Chem8021/unix_ref_card.pdf) - [Similar pages](#)

**[RTF] PARADISEC WORKFLOW MODEL**

File Format: Rich Text Format - [View as HTML](#)  
**MRK files** to **directory** 'Azoulay:Digitization:WAV 44-1 for CD'; **copy** the mp3 ... to begin automatic **process** of **creating** \*.wav **file** in PresealedBWF folder and ...  
[paradisec.org.au/workflow06.rtf](http://paradisec.org.au/workflow06.rtf) - [Similar pages](#)

**DVD-R: The Affordable Alternative to Tape Backup - Custom Systems ...**

The Windows **directory** contains an installable **copy** of Windows. **Creating** a Windows OS backup archive is legal for the licensed user. Startup contains a **copy** ...  
[www.crn.com/white-box/59201194](http://www.crn.com/white-box/59201194) - 34k - [Cached](#) - [Similar pages](#)

**YoLinux.com: fork manpage**

The child **process** shall have its own **copy** of the parent's **file** descriptors. .... Since fork() duplicates an existing **process**, this must be a **condition** where ...  
[node1.yo-linux.com/cgi-bin/man2html?cgi\\_command=fork](http://node1.yo-linux.com/cgi-bin/man2html?cgi_command=fork) - 20k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)

[Sign in](#)

Google

[Advanced Search](#)  
[Preferences](#)

**Web Results 1 - 10 of about 1,480,000 English pages for copy file directory alternative condition create process parent.**

## fork

The fork() function shall **create** a new **process**. The new **process** (child ... The child **process** shall have its own **copy** of the **parent's file** descriptors. ...  
www.opengroup.org/onlinepubs/000095399/functions/fork.html - 23k -  
[Cached](#) - [Similar pages](#)

## YoLinux.com: fork manpage

The child **process** shall have its own **copy** of the **parent's file** descriptors. .... Since fork() duplicates an existing **process**, this must be a **condition** where ...  
node1.yo-linux.com/cgi-bin/man2html?cgi\_command=fork - 20k - [Cached](#) - [Similar pages](#)

## Linux.com :: Process your email with procmail

To begin using procmail on the desktop, you need to **create** a .forward and a .procmailrc **file** in your home **directory**. The .forward **file** makes all incoming ...  
www.linux.com/feature/53391 - 55k - [Cached](#) - [Similar pages](#)

## Minimizing Memory Usage for Creating Application Subprocesses

The fork() call makes a **copy** of the entire **parent process'** address space, .... It's worth mentioning here that there is an **alternative** method to **create** ...  
developers.sun.com/solaris/articles/subprocess/subprocess.html - 43k -  
[Cached](#) - [Similar pages](#)

## Sys Admin Magazine Online

This will **create** the configuration **directory** for Postfix. ... Or, a local user could **copy** or hard link some system **file** to the **directory** to try to have it ...  
www.postfix.org/samag.200001/9912a.htm - 20k - [Cached](#) - [Similar pages](#)

## [PDF] UNIX Reference Card

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
cp [options] **files directory**. **Copy** file1 to file2, or **copy** one or more **files** to the same ...  
**create** intervening **parent** directories if they. don't exist ...  
comp.chem.umn.edu/Chem8021/unix\_ref\_card.pdf - [Similar pages](#)

## The BPEL Cookbook: Making BPEL Processes Dynamic

Now, let's **create** a dynamic BPEL **process** from scratch. .... Make a backup **copy** of the MyDL.bpel **file** before you do so, as you will want the address ...  
www.oracle.com/technology/pub/articles/bpel\_cookbook/carey.html - 67k -  
[Cached](#) - [Similar pages](#)

## Active Directory database file NTDS.DIT

This check box provides the option to restore to an **alternative** location. If you restore to an **alternative** location, you will have to **copy** the ntds.dit **file** ...  
www.windowsnetworking.com/.../Windows2000/  
AdminTips/ActiveDirectory/ActiveDirectorydatabasefileNTDS.DIT.html - 34k -  
[Cached](#) - [Similar pages](#)

## Accoria Networks

With the change of the root **directory**, it is necessary to **copy files** ... (by the **parent** rcgi<sup>ct</sup> **process**) if it breaks down due to software failures. ...  
www.accoria.com/cgi-bin/load?desc=Web%20Server%20User%  
20Guide&name=wguide12.html - 16k - [Cached](#) - [Similar pages](#)

## Index of /dist/ant

**Create** a pom **file** for ant-testutil and add ant-testutil.jar to the ant distribution. .... and

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)

[Sign in](#)

Google

copy file directory alternative condition create

Search

[Advanced Search](#)  
[Preferences](#)

Web Results 1 - 10 of about 1,010,000 English pages for **copy file directory alternative condition create process child pa**

### fork(3): create new process - Linux man page

The **child process** shall have its own **copy** of the **parent's file** descriptors. .... Since fork() duplicates an existing **process**, this must be a **condition** where ...  
linux.die.net/man/3/fork - 20k - [Cached](#) - [Similar pages](#)

### fork

The fork() function shall **create** a new **process**. The new **process** (**child** ... The **child process** shall have its own **copy** of the **parent's file** descriptors. ...  
www.opengroup.org/onlinepubs/000095399/functions/fork.html - 23k - [Cached](#) - [Similar pages](#)

### Minimizing Memory Usage for Creating Application Subprocesses

The fork() call makes a **copy** of the entire **parent process'** address space, .... specify the full path of the executable **file** that the **child process** will run. ...  
developers.sun.com/solaris/articles/subprocess/subprocess.html - 43k - [Cached](#) - [Similar pages](#)

### Sys Admin Magazine Online

This will **create** the configuration **directory** for Postfix. ... Or, a local user could **copy** or hard link some system **file** to the **directory** to try to have it ...  
www.postfix.org/samag.200001/9912a.htm - 20k - [Cached](#) - [Similar pages](#)

### Active Directory database file NTDS.DIT

Resolution of **parent-child** relationships is optimized because the DNT and ... to an **alternative** location, you will have to **copy** the ntds.dit **file** into the ...  
www.windowsnetworking.com/.../Windows2000/AdminTips/ActiveDirectory/ActiveDirectorydatabasefileNTDS.DIT.html - 34k - [Cached](#) - [Similar pages](#)

### The BPEL Cookbook: Making BPEL Processes Dynamic

Now, let's **create** a dynamic BPEL **process** from scratch. .... Make a backup **copy** of the MyDL.bpel **file** before you do so, as you will want the address ...  
www.oracle.com/technology/pub/articles/bpel\_cookbook/carey.html - 67k - [Cached](#) - [Similar pages](#)

### Common Graphics and the Integrated Development Environment

If the **file** startup.cl exists in the main allegro **directory**, then the Listener 1 **process** loads this **file**. Users may **create** this **file** to evaluate arbitrary ...  
www.franz.com/support/documentation/8.0/doc/cgide.htm - 98k - [Cached](#) - [Similar pages](#)

### A Python Quick Reference

merge lists b = a[:] **create copy** of seq structure \_ in interactive mode, ... Python **process** buffer py-temp-**directory** **directory** used for temp **files** (if ...  
www.python.org/ftp/python/doc/quick-ref.1.3.html - 57k - [Cached](#) - [Similar pages](#)

### L12

To be able to name the current **directory** and the **parent directory** every **directory** ... Two processes that share a **file** because one **process** is the **child** (and ...  
pdos.csail.mit.edu/6.097/lec/l12.html - 12k - [Cached](#) - [Similar pages](#)

### Analysis Services Query Performance Top 10 Best Practices

If you are in a design scenario with a large **parent-child** hierarchy (more .... **copy** the database **directory** using Robocopy or some other **file copy** utility, ...  
www.microsoft.com/technet/prodtechnol/sql/bestpractice/ssasqptb.mspx - 31k -

### Sponsored Links

#### Holistic Moms Network

Find Information On Natural Health And Holistic Parenting Methods!  
www.HolisticMoms.org

#### Create Directory

**Create Your Own Directory**  
Free Online Demo  
www.CreaScripts.com